

KW452

CAB



• Stay Warm And Dry

• Exceptional Visibility



CAB

Model	KW452
Stock Code	70.2014
Windshield Wiper	Standard
Mounts On	Standard Roll Bar
Easy Access Panel to Switches	Standard
Front & Rear Work lights	Standard
Maximum Slope with Cab	10° (18%)

Dimensions

Overall Height	74 in. (188 cm)
Overall Length	59 in. (150 cm)
Overall Width	50 in. (127 cm)
Weight	385 lbs. (174 kg)
Height (installed on power unit)	81 in. (206 cm)
Height with Strobe Beacon (installed on power unit)	86 in. (219 cm)
Length (installed on power unit w/standard hitch)	92 in. (234 cm)
Turning Radius (cab installed on power unit)	68 in. (173 cm)

Optional Accessories

Mirror Kit	70.2006-4
Defrost Fan Kit	70.2006-6
Strobe Light Kit	70.8161
Hazard Lights Kit	70.8162
Windshield Washer Kit	70.8148
Heater Kit for Kubota tractors (4500Y)	70.2014-51
Heater Kit for Kawasaki tractors (4500P)	70.8137
Heater Kit for Kubota tractors (4500Z)	70.2014-53
Lift Sling	47.0381

All specifications subject to change without notice or obligation

The KW452 Cab is designed to shelter the operator from extreme weather conditions while providing exceptional visibility and comfort.

NOTE:

- A. The KW452 weather cab cannot be used with the Ventrac KH500 Versa-Loader or RV602 Collection Vacuum.
- B. Do not operate on slopes over 10° when cab is installed.

STANDARD FEATURES

- Dual Port USB Outlet for Device Charging
- Easy Access to Cab Switches & Fuse Panel
- All standard & available cab lights are LED for low current draw & high light output
- More interior room for better operator comfort
- Exceptional Visibility
- Tempered Glass
- Window in Lower Rear Panel
- Windows in Front Pleated Canvas Panels
- Removable Door & Side Windows
- Emergency Exit
- Contoured Roof to channel water off the corners, reducing water runoff into salt spreader etc
- Rubber isolated cab mounts for less noise & vibration transmission
- Front & Rear LED Work Lights
- 4-Point Seatbelt & Cushioned Headrest
- Intermittent Wiper Function

TRACTOR COMPATIBILITY KEY:

3400

4500



Dual Port USB Outlet for device charging

Easy Access to Switches and Fuse Panel



Exceptional Visibility and Interior Room



LED Work Lights, 2 Front and 1 Rear



Fully Sealed, Breakaway Mounted Optional Strobe Beacon



Better Headroom Clearance



3 Window Latches for Ventilation



Optional Defrost Fan





VENTRAC